

The House Select Committee on Mental Health and Suicide Prevention

Submission from the Australian Counselling Association (ACA)

March 2021

Submission contact details:

Philip Armstrong ACA CEO philip@theaca.net.au

About the Australian Counselling Association (ACA)

The ACA is Australia's largest single registration body for Counsellors and Psychotherapists with over 8,000 members. ACA serves a crucial role in advocating and advancing the profession of Counselling and Psychotherapy.

The ACA has a solid international reputation, including formal affiliations with peak bodies in the Philippines, Hong Kong, Ireland and Papua New Guinea. The ACA also regularly engages with peak bodies in Canada, New Zealand, UK, USA and Malaysia. ACA is a founding member of the Asia Pacific Rim Confederation of Counsellors. Philip Armstrong, ACA CEO, is also the Chair of the steering committee for the Counselling and Psychotherapy Association of Commonwealth Nations. ACA participates in bi-annual conferences in Asia as part of its commitment to the Asia Pacific Rim region.

The ACA is now recognised as an Observer member of the World Health Organisation's Inter-Agency Standing Committee (IASC) Reference Group for Mental Health and Psychosocial Support (MHPSS) in Emergency Settings.

The ACA has jointly founded the Australian Register of Counsellors and Psychotherapists (ARCAP) with the Psychotherapy and Counselling Federation of Australia (PACFA) as a national register of qualified Counsellors and Psychotherapists. Practitioners listed on the ARCAP are qualified Counsellors and Psychotherapists actively registered with ACA or PACFA.

Level 3 and 4 ACA Counsellors are required to have a minimum AQF Level 7 or Level 9 qualification in Counselling, and have the skills and proficiency in meeting all reporting requirements of the regulations for the provision of the Medicare Benefits Schedule Focussed Psychological Strategies as outlined in the *Health Insurance (General Medical Services Table)*, *Regulations 2017*.

As of 2021, 47 course providers offer tertiary level courses in Counselling and Psychotherapy (roughly 80 per cent of higher education providers in Australia, 89 per cent of which are accredited with the ACA). These include the University of Melbourne, Monash University, University of Queensland (UQ), University of Adelaide, La Trobe University, QUT, University of Canberra, and Edith Cowan University. The University of Melbourne, Monash University, University of Adelaide, and the University of Queensland are rated in the world's top 100 Universities.

Allied health professionals providing Medicare Benefits Schedule items for Focussed Psychological Strategies spend approximately 60 per cent of their time delivering counselling and approximately 30 per cent of their time delivering mental health interventions (National Health Workforce Dataset, 2016). Registered Counsellors and Psychotherapists as a result of their qualifications and professional designation, counsellor, are specialists in counselling as opposed counselling being a subset of skills added onto another discipline. Yet, counsellors are currently disenfranchised from accessing provider numbers through the Better Access Initiative denying mental health consumers access to experts in the field of counselling to help them address their issues.

Currently, data collection from Better Access Initiative is limited to demographic data. The Better Access Initiative does not require practitioners to collect client feedback to measure treatment outcomes. The ACA believes in accountability and transparency, currently, there are no methods to track and provide data on client outcomes with the services they are given by mental health professionals under the BAI. We believe this is not good enough and we would be prepared to implement a system that would rectify this.

The ACA believes that implementing a system like the Clinical Outcomes in Routine Evaluation (CORE) model, which is used nationally in the UK by the NHS is a cheap and effective way to hold practitioners to account and demonstrate to the taxpayer that they are getting value for money. The ACA believes accountability measures to track the progress of scientific yield and practice impact are an important step that must be taken. A move toward sessional monitoring and feedback to assessing client progress is important to monitor effectiveness of services provide and to expose underperforming practitioners.

A review was undertaken by the Centre for Health Policy and Programs at the University of Melbourne in 2011 which outlines that consumers reported positive outcomes (Pirkis, Harris, Hall & Ftanou, 2011). However, there is no ongoing data collection to measure outcomes against standardised measures.

Direct feedback from clients is one of the most informative and accurate ways to measure the effectiveness of the services (Barkham, Mellor-Clark & Stiles, 2015). Some form of data collection to measure treatment outcomes should be a mandatory requirement of provision of MBS Item Numbers. The ACA calls on the Government to make this data collection policy to provide accurate data to demonstrate value to the taxpayer.

Terms used in this Submission

In this submission, the term "Counsellors and Psychotherapists" is used to refer to practitioners who are registered with the Australian Counselling Association (ACA) and/or the Psychotherapy and Counselling Federation of Australia (PACFA). They have completed appropriate training in Counselling or Psychotherapy and at least two years full-time practice since qualifying (a minimum of 750 supervised client hours). These practitioners are competent to provide evidence-based interventions to support people with their mental health. "Counsellor" is an equivalent term for a "Psychotherapist" and is used to include both in the submission.


Introduction

The Australian Counselling Association (ACA) has prepared this submission to propose the addition of appropriately qualified and experienced Counsellors and Psychotherapists to the list of allied health professions in the *Health Insurance (Allied Health Services) Determination 2014* which provide Focussed Psychological Strategies under the *Better Access to Psychiatrists, Psychologists and General Practitioners through the MBS Better Access initiative* (BAI). We recommend that registered Counsellors and Psychotherapists are provided access to MBS rebates.

Now, following COVID-19 and other social and political factors, mental health issues have become a priority again. The inability for the MBS system to provide services to all of those in need cannot be ignored considering the large volume in the increase of needs, especially in rural and regional areas where mental health services lack the most. ABS figures show nearly 30% of people live in rural and remote areas. Tragically, the further from the cities you go, the higher suicide and self-harm rates are.

Counsellors are a qualified and are under-utilised part of the mental health workforce. This submission reaffirms why Counsellors are an appropriate, cost-effective option for patients with mild to moderate mental health issues, while also having the expertise to support patients with more complex mental health issues. The time to act is now, especially for people in rural and regional Australia who do not have the appropriate resources to combat increasing suicide and self-harm rates before COVID-19, which are exacerbated further now.

The increased pressure on GPs, who are the highest providers of mental health services already causing underservicing problems which can be ameliorated by a Counsellor who can provide mental health care plans. The Department of Health's submission outlines that for 2018-19, 2.7 million individuals received subsidised mental health services using mental health specific MBS item numbers, with the vast majority (2.2 million people) consulting their GP, with 1.4 million people seeing a psychologist or other allied health provider, and roughly 400,000 people consulting a psychiatrist. Graph 1 below shows the growing rate of psychological issues are the top issues people present to their GP for treatment during 2017 - 2019.



Graph 1: 2017 – 2019 top issues presented to GPs

Counsellors are registered with private health funds, and receive rebates, are employed by Beyond Blue, and are a part of WorkCover NSW as well as deliver services for Telehealth. Triaging within multidisciplinary teams is important to address life issues, like job loss and other impacting factors that affect mental health.

The Deloitte Access Economics 2019 General practitioner workforce report 2019 has identified that both urban and regional areas will become progressively undersupplied over the ten years to 2030, resulting in a deficit of 9,298 full time GPs or 24.7% of the GP workforce by 2030. The deficit is expected to more pronounced in urban areas (31.7%) compared to regional areas (12.7%).

Including Counsellors and as Medicare-funded mental health providers will improve access to and targeting of services provided under the BAI. The most recent national figures on MBS-funded mental health services indicate that usage has nearly doubled over the last decade, with 10.2% of Australians accessing services in 2017-18, compared to 5.7% in 2008-09 (AIHW 2019a).

Access to services is not proportionate to need, with exceedingly high uptake in metropolitan areas and relatively low access in areas of workforce shortage, rural and remote areas, where the underlying need for mental health supports is greatest (AIHW 2019b). There is also a disproportionate reliance on services provided by mental health professions with relatively high per capita service fees, and whose workforce distribution is overwhelmingly urban based (AIHW, 2019b).

The addition of Counsellors as BAI providers would help address workforce shortages in rural and regional areas and in metropolitan areas with poor service access, having a positive impact on the per capita service costs for Government and on out of pocket costs for consumers accessing services under the BAI. It will also improve consumer choice by making a wider range of skilled mental health professionals available under the MBS to all Australians.

Counsellors are required to go through a certification process by their peak body, including the *ARCAP Mental Health Practice Standards* in order to be deemed eligible for Medicare provider numbers for the BAI. In addition, we propose that the Government explores the potential for Counsellors and to be added to the list of allied health professions that provide other MBS services:

- Non-directive pregnancy support counselling
- Individual Allied Health Services under Medicare for Chronic Disease Management

The MBS was created to facilitate Bulk Billing, however, latest MBS reported figures show that less than 30% of Psychologists Bulk Bill. People in the regions especially are being left out, Counsellors living in these areas can meet the need and have overwhelmingly responded to ACA member surveys that they would Bulk Bill if possible. Increasing services to 20 sessions has only compounded the issue, and great need still exists.

A new study (Hill, Witt, Rajaram, Mcgorry & Robinson, 2020) reveals that 75 per cent of young people who die from suicide were boys or young men, and 57 per cent of those had diagnosed or possible mental health disorders, yet more than two-thirds of young Australians were not in contact with mental health services at the time of their deaths. Prevention is only possible if people have access to services, with suicide being the leading cause of death for Australians under 25 years of age and the further you go from the city, the higher the suicide rates are.

About the Counselling profession

What is Counselling?

Counselling is an interdisciplinary activity provided by a range of health professionals including Counsellors, as well as Psychologists, social workers, occupational therapists, nurses, doctors, and psychiatrists.

Counselling aims to:

- prevent mental illness;
- promote mental health and wellbeing;
- provide psychotherapeutic interventions for psychological difficulties such as depression, anxiety, trauma, drug and alcohol abuse, eating disorders, ante and post-natal depression; and
- support people with life's challenges such as relationship difficulties, family violence, chronic illness, disability, bereavement, bullying, discrimination, homelessness, sexual assault and natural disasters.

Counselling involves a safe and confidential collaboration between qualified practitioners and clients to promote mental health and wellbeing, enhance self-understanding, and resolve identified concerns. Clients are active participants in the therapeutic process at every stage.

While some other health professions approach mental health using a medical model, Counselling is based on a non-medical, biopsychosocial model (Stallman, 2018). Counselling focuses on the treatment and prevention of mental illness, while actively promoting mental health and wellbeing. The focus on client wellbeing is seen as a distinguishing feature of Counselling (O'Hara & O'Hara, 2015) and this is consistent with the emphasis on well-being and recovery-oriented care in Australian mental health policies and frameworks.

Who are Counsellors?

Counsellors use empirically supported interventions and specialised interpersonal skills to facilitate change and empower clients. Counsellors and are, by definition, relational practitioners. The therapeutic relationship between the Counsellor and the client is central to practice and underpins the effectiveness of treatment.

Counsellors are trained and experienced in delivering person-centred services, supporting clients to develop their own understanding of their experiences, and facilitating clients' recovery process. The person-centred approach places the client at the centre of their own care (Australian Commission on Safety and Quality in Healthcare, 2011).

While several health professions deliver Counselling as a component of their practice, Counsellors specialise in Counselling, and therefore have highly developed relational expertise. Counsellors have been found to be more accepted by clients compared to Psychologists or Psychiatrists (Sharpley, Bond & Agnew, 2004).

What is the Scope of Practice of Counsellors?

Scope of practice is the area of the profession in which a Counsellor has the knowledge, skills and experience to practise competently, safely, and lawfully, in a way that meets standards and does not pose any danger to the public or to themselves.

The professional competence of Counsellors is well established through research (Pelling, 2009; Hughes, 2014). The knowledge and therapeutic skills of Counsellors are developed through comprehensive theoretical and skills training, combined with practice experience under supervision.

Counselling training is a unique form of relational training and this distinguishes Counsellors from mental health professionals trained in other disciplines, who also provide counselling services. The curriculum of Counselling training focuses on the reflective-practitioner model which fosters accountability through reflexivity and ongoing supervision (O'Hara & O'Hara, 2015). This model, alongside the profession's strong focus on ethical practice, and the regulatory functions provided for the profession, ensures protection to clients, their carers and families.

Using their specialised relational skills, Counsellors have the capacity to support clients presenting with a range of mild to moderate through to more complex mental health issues, and are able to work with, and within, multi-disciplinary mental health teams.

Refer to the ACA's Scope of Practice for Registered Counsellors to survey the breadth and depth of the competencies, qualifications, practice domains and safe practices of Counsellors within the Australian health system context (ACA, 2016).

We are a self-regulating profession

The counselling profession is one of a large number of health professions that are considered safe to be self-regulating, with a range of industry-based regulatory mechanisms in place to support self-regulation. This regulatory model means that Counsellors, like Social Workers, are appropriately regulated for inclusion as Medicare providers.

The reported incidence of complaints against Counsellors in Australia is low. Regulation by the Australian Health Practitioner Regulation Agency (AHPRA) is reserved for those health professions that pose sufficient risk to the community to warrant government regulation. Based on the low risk profile of Counsellors, the Federal Government has determined that Counsellors do not require regulation by AHPRA.

Regulation by AHPRA does not determine whether a health profession is qualified to deliver Medicarefunded health services. For example, Social Work is a self-regulating profession and appropriately qualified Social Workers are already eligible to deliver mental health services under Medicare.

In addition to having robust self-regulation, Counsellors are also subject to a limited form of coregulation that applies to all self-regulating health professions through the *National Code of Conduct for Health Care Workers* (AHMAC, 2014). The Australian Health Ministers' Advisory Council (AHMAC) has agreed this Code will be implemented nationally and the Code is in the process of being legislated at State and Territory level. In addition to setting standards for practice, the National Code enables disciplinary action to be taken and prohibition orders issued in circumstances where a practitioner poses a risk to public health and safety.

The renewed need for the inclusion of Counsellors as Medicare providers

Counsellors are part of the mental health workforce

The Australian mental health workforce requires strengthening in a rapidly changing environment characterised by growing demand on services, increasingly diverse and complex patient needs, divergent demands caused by an ageing population, and the increasing prevalence of youth mental health issues and suicide. The ACA proposes a flexible, multidisciplinary mental health workforce in order to address workforce shortages and meet the increasingly diverse and complex mental health needs of the Australian population.

Historically in Australia, counselling has been a practice that streamed horizontally across multiple professions (Lewis, 2016). There continues to be an overlap in counselling services provided by Counsellors and services provided by psychologists, social workers and occupational therapists. Counsellors, therefore, share their scope of practice, knowledge and skills with other professions but are currently under-utilised in the Australian health system, including under the BAI and in the regional service coordination activities of commissioning bodies such as Primary Health Networks.

Full utilisation of an appropriately qualified and skilled mental health workforce, including Counsellors, will achieve better client outcomes from mental health services and reduce financial strain on the health system.

Practice standards for the mental health workforce are detailed in the *National Standards for the Mental Health Workforce (2013)*. However, Counsellors are not currently included in the professions covered by the National Standards. ARCAP has therefore developed its own *Mental Health Practice Standards* which align with the National Standards detailed in this submission.

Consumer access and choice

The ACA believes that client choice is crucial to access and efficacy of care. People are more likely to seek help if they can consult practitioners who they feel comfortable with and trust. Consumer choice will be increased when a wider range of mental health professionals are recognised as providers under BAI. Consumers may wish to choose Counsellors because of their relational expertise and range of evidence based therapeutic practices that match the needs of consumers.

There is strong evidence for the contribution of counselling to the prevention and treatment of mental illness, including depression, anxiety and trauma (Cuijpers, van Straten, Smit, Mihalopoulos & Beekman, 2008). These findings are supported by research into the common factors underlying the effectiveness of Counselling and Psychotherapy (Duncan, Miller, Wampold & Hubble, 2009; Wampold, 2015) which has found that all types of therapy achieve broadly similar outcomes and the strength of the client-therapist relationship is a key determinant of outcomes. There is also strong evidence that providing services according to client preference improves therapy outcomes (Lacoviello, McCarthy, Barrett, Rynn, Gallop, & Barber, 2007; Lindhiem, Bennett, Trentacosta, & McLear, 2014; McLeod, 2012).

Better targeting of services

The addition of Counsellors as Medicare providers will help improve targeting of BAI services. The majority of consumers with mild to moderate depression and anxiety do not specifically require intervention from psychologists or from clinical psychologists. These consumers could be effectively assisted by receiving counselling from a Practising Counsellor. Prior to the introduction of BAI in 2006, General Practitioners readily referred patients to Counsellors, but this referral pathway has largely disappeared due to Counsellors not being able to service mental health care plans.

Counsellors have competencies, skills, and experience delivering evidence- based psychological strategies (ACA, 2016) equivalent to the other allied health professionals who currently deliver BAI services. They are well placed to deliver services at all levels in a stepped care service delivery model, from mild to moderate mental health issues, through to more severe mental health issues that require more specialist intervention.

Severe Specialist treatment mental illness Moderate Mental Focussed Psychological Strategies Illness OR Specialist treatment Mild mental illness Focussed Psychological Strategies At risk groups - early symptoms, Low intensity interventions previous illness Self-help resources Well population

Diagram 1: Targeting services to meet patient needs

Matching the needs of patients with timely, appropriate and targeted care through the inclusion of Counsellors in BAI will address current over and under-servicing issues and provide a broader range of services to better target consumer needs. Counsellors are qualified to deliver continuous care to consumers with different levels of need.

Utilising Counsellors to deliver Focussed Psychological Strategies will increase service capacity for primary care mental health services and move towards optimal use of the existing workforce. This in turn will allow for a more effective system of secondary care and specialist services with greater capacity and flexibility to receive patients and meet service demand. This would lead to a reduction in inappropriate referrals to secondary mental health care services and reduce secondary care assessment times and patient waiting times, allowing for greater continuity of care and better client outcomes.

Addressing workforce shortages

There are currently shortages in the mental health workforce with patients experiencing limited availability and long waiting times for initial appointments and between sessions in some metropolitan areas and other areas with low service access and high levels of underlying mental health need, such as rural and regional Australia. The AMA in 2019 found that Australians who live in rural and remote areas have poorer health outcomes than those who live in cities. Rural communities have fewer doctors and are finding it increasingly difficult to attract new ones.

Deloitte Access Economics 2019, General practitioner workforce report 2019 forecasts that both urban and regional areas will become progressively undersupplied over the ten years to 2030, resulting in a deficit of 9,298 full time GPs or 24.7% of the GP workforce by 2030. GP's are the highest claimants of the schedule numbers, showing the need for Counsellors to be allowed to provide mental health care plans to alleviate the strain on GPs.

This leads to potentially prolonged psychological distress, contributes to disruption in treatment and increases therapy drop-out rates, which in turn increases the likelihood of future mental health issues. See <u>Appendix A</u> for an example of the impact of workforce shortages in one regional area, covered by the Hunter New England and Central Coast Primary Health Network. BAI has substantial issues catering to the demand for mental health services in regional and rural Australia. Demand for mental health services is high and is not being met by the current pool of providers.

The addition of Counsellors to the workforce for BAI will address these workforce shortages and ensure clients have more immediate and ongoing access to the mental health services they need. Counsellors are distributed throughout the country and make a significant contribution to services in regional, rural, and remote areas, where specialist services are more difficult to access (Gittoes, Mpofu & Matthews, 2011).

The latest available Mental Health Workforce figures (2017) indicate that nearly 90% of the psychiatrist workforce and 82.7% of the psychologist workforce are situated in major cities (AIHW 2019b). Data on access to MBS-funded mental health services in 2017-18 demonstrates a stark difference between access in major cities and inner regional areas, where approximately 10% of the resident population accessed MBS-funded services, compared to 5.5% and 2.7% respectively in remote and very remote areas (AIHW 2019a). In contrast to the predominantly urban distribution of some other mental health professions, Australian studies of the counselling workforce have found that approximately one third of Counsellors work in regional, rural, and remote areas (Vines, 2011; Pelling, 2005; Schofield & Roedel, 2012; Schofield, 2015).

Counsellors currently deliver the same Focussed Psychological Strategies as other allied health professionals working in private practice. The inclusion of Counsellors to deliver MBS items for Focussed Psychological Strategies, consistent with other allied mental health providers, will build workforce capacity and provide proven evidence-based therapies to patients seeking MBS subsidised treatment.

Counsellors will also be able to boost uptake of digital health-based counselling for people in rural and remote areas, particularly Aboriginal and Torres Strait Islander and rural populations who are unable to travel great distances for in-person appointments. Counsellors are trained and experienced in this mode of service delivery to ensure ethical and safe practice and provide a cost-effective solution for telehealth services. Counsellors are already employed in Telehealth services, like BeyondBlue.

Cost-effectiveness

Currently, MBS expenditure under Better Access Focussed Psychological Strategy items is inefficiently weighted towards relatively high-cost service delivery options. As at 30 June 2019, services provided by psychologists pay a benefit of \$86.15 per session while services provided by clinical psychologists pay \$126.50 per session. This compares to a benefit of \$75.95 for other allied health providers. This price differential exists even though all providers are providing similar services to their clients.

Services could be provided by a range of suitably qualified practitioners, including Counsellors, at the lower rate that currently applies to social workers and occupational therapists as per the current tier 1 benefit of \$77.10. There is no research evidence to indicate that the higher fees paid to psychologists result in better treatment outcomes.

As a workforce, Counsellors generally charge lower fees than psychologists. Setting the benefit at the current tier 1 benefit of \$77.10 for Counsellors delivering Focussed Psychological Strategies will be a cost-effective option that will reduce out of pocket expenses for clients, thereby encouraging client participation and delivering per capita cost savings to the health system.

Meeting the needs of under-serviced groups

There is an opportunity to meet the needs of sectors of the community that have been under-serviced or are unable to access services. For example, under-serviced groups such as family and carers of people with mental illness may benefit more from family therapy or group counselling where Counsellors are highly experienced and have significant expertise. Increasing services to groups such as aged persons, people in rural and remote settings, Aboriginal and Torres Strait Islander peoples, newly settled migrants, and refugees, requires a larger and more diverse workforce.

Aboriginal and Torres Strait Islander people experience significantly poorer mental health outcomes than non-Indigenous Australians. In the 2014-2015 ABS National Aboriginal and Torres Strait Islander Social Survey, 33 per cent of adult respondents had high/very high levels of psychological distress 2.6 times that of non-Indigenous adults (Australian Government, 2017). Counsellors would provide a bolstered workforce to respond to the high incidence of social and emotional wellbeing problems and mental ill-health. Further, to help ameliorate the intergenerational effects of trauma, Counsellors use culturally competent and safe practices, and a wide range of interventions to respond to cultural diversity, such as Narrative Therapy when working with Aboriginal and Torres Strait Islander clients (Nagel & Thompson, 2007).

Requirements for Counsellors to come under the MBS

The following sections outline the current requirements for ARCAP certification of Counsellors to be eligible to provide Medicare-funded services under the BAI to the same standards of social workers and psychologists.

Members of the ACA will be required to demonstrate that they meet four requirements to be eligible for certification by the ACA as a Certified Practicing Counsellor or Certified Practicing Psychotherapist. These requirements relate to:

- 1. Training
- 2. Supervised practice experience
- 3. Professional Association membership
- 4. ARCAP Mental Health Practice Standards

1. Training

The minimum qualification requirement for ACA members to be considered for certification as a Certified Practising Counsellor or Certified Practicing Psychotherapist by ARCAP will be completion of a Bachelor's degree (AQF Level 7) or a Masters degree (AQF level 9) in discipline specific training in Counselling or Psychotherapy. Training must meet the requirements of the ACA Accreditation of Counsellor Higher Education Courses (ACA, 2012).

2. Supervised practice experience

To be considered for certification by the ACA, Counsellors are required to have completed a minimum of 750 hours of client contact over a minimum of two years since completing their training, with a minimum of 75 hours of clinical supervision (ACA, 2016).

Through supervised practice, Counsellors have gained the practical experience, knowledge and skills required for competent, ethical practice. As specialists in mental health, their Professional Development and Clinical Supervision are focused on mental health practice and they have gained additional knowledge and experience of current assessment techniques and interventions in mental health, and understanding of research and evaluation methods in mental health. Counsellors therefore have the capacity to support clients with complex mental health issues and to work as members of multi-disciplinary mental health teams.

3. Professional Association membership

In order to meet ACA membership requirements, applicants go through rigorous verification process to ensure that training, qualifications, and supervised experience meet minimum required standards. Ongoing annual membership to ACA requires practitioners to meet standards around professional development, clinical supervision, insurance and ethics.

i) Professional development

All practicing members of the ACA are required to meet minimum Professional Development standards in order to renew their membership annually. The ACA has policies which set out the annual requirements for professional development, and standards for determining the types of activities that are considered appropriate:

 ACA members are required to complete a minimum of 25 points of Ongoing Professional Development each year (representing a minimum of 25 hours of professional development).
 Activities must further a member's skills and qualifications as a Counsellor (ACA, 2016)

For the purposes of certification, Counsellors will be required to undertake an additional 10 hours per year professional development specifically relating to Focused Psychological Strategies. This will ensure compliance with section 10 of the *Health Insurance (Allied Health Services) Determination 2014* which requires practitioners to undertake 10 hours per year of Focussed Psychological Strategies Continuing Professional Development. See Appendix B for details.

ii) Professional/Clinical supervision

Supervision is a contractual, collaborative process which monitors, develops and supports supervisees in their clinical role (ACA, 2016). Supervision is central to counsellor training and practice. It provides the counselling profession with a culture of support and audit and acts as a quality assurance mechanism. The rigour with which Counsellors engage in supervision supports to the trust and confidence the community has in Counselling.

Supervision has a positive impact on the practitioner's self-development, ethical and reflective practice, professional development, and self-efficacy (Schofield & Roedel, 2012; Wheeler & Richards, 2007). The focus in supervision is on both the optimum treatment outcome for clients and the professional development and self-care of supervisees. It is an opportunity for the supervisee to present material regarding their practice, with space for reflection by the supervisee and feedback by the supervisor.

Clinical supervision is a requirement during training an ongoing requirement for membership by the ACA. Practicing members of both bodies are required to show evidence of adequate supervision when applying for annual membership renewal:

• ACA requires 10 hours of Clinical Supervision per year (ACA, 2019b)

iii) Insurance

Practicing members of the ACA are required to maintain continuous cover for professional indemnity and liability insurance.

• ACA requires evidence of currency of insurance (ACA 2019a)

iv) Ethics

Members of the ACA are required to sign an annual declaration that they adhere to the requirements of their Code of Ethics and that they will comply with the applicable complaints handling process in the event of an ethical complaint being made.

Codes of Ethics:

1. ACA Code of Ethics and Practice (ACA, 2019a)

Complaints handling processes:

2. ACA Complaints Policy and Procedural Guidelines (ACA, 2019)

The Codes of Ethics provide guidance to members and act as a compass towards safe practice. The counselling profession is trusted by the community because Counsellors are trustworthy and act accordingly. Counsellors have a sophisticated awareness of confidentiality issues, respect diversity, avoid conflicts of interest, respect professional boundaries, and uphold the key aim of ethical practice which is "do no harm".

Certification of Counsellors

Assessment process

ACA certification process for members to be recognised as Medicare providers will involve an assessment process that ensures applicants meet four criteria and demonstrates the capacity to apply Mental Health Practice Standards in their clinical practice.

Applicants are required to demonstrate they meet the ACA assessment criteria, which are covered in more detail above:

- 1. Completion of appropriate training
- 2. Two years of supervised practice experience post qualification
- 3. Professional Association membership of ACA (Level 3 or 4) compliance with the following annual requirements:
 - i) Professional Development
 - ii) Clinical supervision
 - iii) Professional indemnity insurance
 - iv) Declaration of adherence to a Code of Ethics and complaints handling process
- 4. Demonstrated capacity to apply the ACA Mental Health Practice Standards in their professional practice by addressing 20 essential points from the Practice Standards
- 5. A written referee statement from a current supervisor or employer.

Certification titles

Following successful assessment against the ACA assessment criteria, applicants will be certified to be eligible to apply for a Medicare provider number.

Renewal requirements

Counsellors who are successful in achieving certification by ACA are required to maintain their certification by meeting the annual membership renewal requirements of their professional association which are detailed in criteria 3.

Utilising Medicare provider numbers for Counsellors

In addition to adding ACA certified Counsellors as Medicare providers, the ACA proposes Counsellors can provide Focussed Psychological Strategies under BAI should also include other appropriate MBS services:

- Non-directive pregnancy support counselling
- Chronic Disease Management Individual Allied Health Services under Medicare
- Department of Veteran's Affairs contract eligibility to deliver counselling services for Veterans.

Better Access Initiative

Certified Practising Counsellors will be practitioners who have the training and expertise to provide Focused Psychological Strategies under BAI. They are trained to undertake an assessment of the client's treatment needs, to plan appropriate interventions from the list of Focussed Psychological Strategies, and to report back to the referring GP on the treatment provided and future treatment needs.

Amendments to the *Health Insurance (Allied Health services) Determination 2014* would be required to add ACA Certified Counsellors to the list of allied health professions eligible to deliver Focussed Psychological Strategies under BAI. ACA proposes that pricing for the items should be benchmarked against the Schedule fees currently paid for the same service provided by Accredited Mental Health Social Workers and Accredited Mental Health Occupational Therapists and generalist psychologists under Tier 1.

Other relevant Commonwealth Government funded programs

Once Counsellors have Medicare provider numbers, there is the potential to include them in the workforce for the delivery of other MBS services in addition to BAI. This will help to address workforce shortages for these other services, for example in rural and regional areas and low socio-economic areas and for underserviced client groups.

References

- Australian Commission on Safety and Quality in Health Care (2011). *Patient-centred care: Improving quality and safety through partnerships with patients and consumers*, ACSQHC, Sydney.
- Australian Counselling Association (2012) Accreditation of Counsellor Higher Education Courses: ACA
 Higher Education Course Education Standards & Accreditation Procedures and Criteria.

 Retrieved from www.theaca.net.au/documents/ACA%20Accreditation%20of%20
 Counsellor%20Higher%20Education%20Programs%202013.pdf
- Australian Counselling Association (2016). *Australian Counselling Association Scope of Practice for Registered Counsellors*. Retrieved from www.theaca.net.au/documents/ACA%20Scope %20of%20Practice%20for%20Registered%20Counsellors%202016.pdf
- Australian Counselling Association (2019a). Code of Ethics and Practice of the Association for Counsellors in Australia. Retrieved from www.theaca.net.au/documents/ACA%20Code%20of%20Ethics%20and%20Practice%20Ver15.pdf
- Australian Counselling Association (2019a). *Complaints Policy and Procedural Guidelines* (2019). Retrieved from www.theaca.net.au/documents/ACA%20Complaints%20-%20Procedural%20Guidelines.pdf
- Australian Counselling Association (2019b). *ACA Supervision Policy & Guidelines*. Retrieved from www.theaca.net.au/documents/ACA%20Supervision%20Policy%20V12.2019.pdf
- Australian Government (2017). *National Strategic Framework for Aboriginal and Torres Strait Islander Peoples' Mental Health and Social and Emotional Wellbeing 2017-2023*. Retrieved from www.pmc.gov.au/sites/default/files/publications/mhsewb-framework 0.pdf.
- Australian Government, Department of Health (2019) *Medicare Item Reports*. Search results. Retrieved from: http://medicarestatistics.humanservices.gov.au/statistics/mbs item.jsp
- Australian Health Ministers' Advisory Council (2013). *A national framework for recovery-oriented mental health services: Guide for practitioners and providers*. Retrieved from https://www.health.gov.au/internet/main/publishing.nsf/Content/67D17065514CF8E8CA257C1D00017A90/\$File/recovgde.pdf
- Australian Health Ministers' Advisory Council (2014). Final Report: A National Code of Conduct for health care workers. Retrieved from www.coaghealthcouncil.gov.au/NationalCodeOfConductForHealthCareWorkers
- Australian Institute of Health and Welfare (2019a). *Mental Health Services in Australia*: Medicare subsidised mental health specific services. Retrieved from:

 https://www.aihw.gov.au/reports/mental-health-services/mental-health-services-in-australia/report-contents/medicare-subsidised-mental-health-specific-services

- Australian Institute of Health and Welfare (2019b). *Mental Health Services in Australia*; Mental Health Workforce. Retrieved from: www.aihw.gov.au/getmedia/4d190113-7d6f-4f67-81e7-31cd28b9aa8c/Mental-health-workforce.pdf.aspx
- Barkham, M., Mellor-Clark, J., & Stiles, W. B. (2015). A CORE approach to progress monitoring and feedback: Enhancing evidence and improving practice. Psychotherapy, 52(4), 402-411. doi:10.1037/pst0000030
- Cuijpers, P., Van Starten, A., Smit, F., Mihalopoulos, C., Beekman, A. (2008). Preventing the onset of depressive disorders: a meta-analytic review. *American Journal of Psychiatry*; 165:1272 1280
- Duncan, B.L., Miller, S.D., Wampold, B.E., & Hubble, M.A. (Eds.) (2009). *The heart and soul of change: Delivering what works in therapy* (2nd ed.). San Francisco, CA: Jossey-Bass.
- Gittoes, E., Mpofu, E., & Matthews, L. R. (2011). Rehabilitation counsellor preferences for rural work settings: Results and implications of an Australian study. *The Australian Journal of Rehabilitation Counselling*, 17(1), 1–14. https://doi.org/10.1375/jrc.17.1.1
- Hill, N. T., Witt, K., Rajaram, G., Mcgorry, P. D., & Robinson, J. (2020). Suicide by young Australians, 2006–2015: A cross-sectional analysis of national coronial data. Medical Journal of Australia, 214(3), 133-139. doi:10.5694/mja2.50876
- Iacoviello, B. M., McCarthy, K. S., Barrett, M. S., Rynn, M., Gallop, R., & Barber, J. P. (2007).

 Treatment preferences affect the therapeutic alliance: Implications for randomized controlled trials. *Journal of Consulting and Clinical Psychology*, 75(1), 194–198.
- Hughes, G. (2014). Competence and Self-care in Counselling and Psychotherapy. Routledge.
- Lewis, I. (2016). Same/different: Complex relationships between counselling and socialwork.

 Presented at the ANZSWWER Symposium, James Cook University, Townsville. Retrieved from www.researchgate.net/publication/308797923 Samedifferent Complex relationships between counselling and social work ANZSWWER Symposium JCU
- Lindhiem, O., Bennett, C. B., Trentacosta, C. J., & McLear, C., (2014). Client preferences affect treatment satisfaction, completion, and clinical outcome: A meta-analysis. *Clinical Psychology Review*, *34*, 506-517.
- McLeod, J. (2012). What do clients want from therapy? A practice-friendly review of research into client preferences. *European Journal of Psychotherapy, Counselling and Health, 14,* 19-32.
- Nagel, T., & Thompson, C. (2007). AIMHI NT 'Mental Health Story Teller Mob': Developing stories in mental health. *Australian E-Journal for the Advancement of Mental Health, 6*(2), 1-6. 31.

 Retrieved from www.researchgate.net/publication/228345105 AIMHI NT

 'Mental Health Story Teller Mob' Developing stories in mental health
- O'Farrell, T. J., & Clements, K. (2012). Review of outcome research on marital and family therapy in treatment for alcoholism. *Journal of Marital and Family Therapy*, 38(1), 122-144. doi: 10.1111/j.1752-0606.2011.00242.x.

- O'Hara, D. J., & O'Hara, E. F. (2015). Counselling and psychotherapy: Professionalisation in the Australian context. *Psychotherapy and Counselling Journal of Australia (PACJA)*, *3* [online]. Retrieved from http://pacja.org.au/?p=2732
- Pelling, N. (2005). Counsellors in Australia: Profiling the membership of the Australian Counselling Association. *Counselling, Psychotherapy, and Health*, 1(1), 1–18.
- Pelling, N. (2009). "Counsellor competence" in *The practice of clinical supervision*, Nadine J. Pelling, John Barletta, Philip Armstrong, editors.
- Psychotherapy and Counselling Federation of Australia (2017a). *Continuing Professional Development Policy for Registered Members and Other Registrants*. Retrieved from www.pacfa.org.au/wp-content/uploads/2012/10/PACFA-CPD-Policy-April-2017.pdf
- Psychotherapy and Counselling Federation of Australia (2017b). *PACFA Code of Ethics*. Retrieved from www.pacfa.org.au/wp-content/uploads/2017/11/PACFA-Code-of-Ethics-2017.pdf
- Psychotherapy and Counselling Federation of Australia (2017c). *PACFA Professional Conduct Procedures*. Retrieved from www.pacfa.org.au/wp-content/uploads/2014/04/Professional-Conduct-Procedures-8-December-2017.pdf
- Psychotherapy and Counselling Federation of Australia (2018a). *Scope of Practice for Registered Counsellors*. Retrieved from www.pacfa.org.au/wp-content/uploads/2018/09/Scope-of-Practice-for-Registered-Counsellors-2018.pdf
- Psychotherapy and Counselling Federation of Australia (2018b). *PACFA Training Standards*. Retrieved from www.pacfa.org.au/wp-content/uploads/2012/10/PACFA-Training-Standards-Effective-14-4-18.pdf
- Psychotherapy and Counselling Federation of Australia (2018c). *PACFA Membership and Registration Requirements and Renewal Requirements*. Retrieved from www.pacfa.org.au/wp-content/uploads/2012/10/PACFA-Membership-and-Registration-Requirements-and-Renewal-Requirements-2018.pdf
- Psychotherapy and Counselling Federation of Australia (2018d). *PACFA Supervision Training Standards*. Retrieved from https://www.pacfa.org.au/wp-content/uploads/2012/10/Supervision-Training-Standards-2018-1.pdf
- Ruff, S., McComb, J. L., Coker, C. J., & Sprenkle, D. H. (2010). Behavioral Couples Therapy for the treatment of substance abuse: A substantive and methodological review of O'Farrell, Fals-Stewart, and colleagues' program of research. *Family Process*, *49*(4), 439.
- Schofield, M. J., & Roedel, G. (2012). Australian psychotherapists and counsellors: A study of therapists, therapeutic work and professional development. Melbourne, Australia: La Trobe University & PACFA. Retrieved from https://www.pacfa.org.au/wp-content/uploads/2012/10/Australian-Psychotherapists-Counsellors Schofield-Roedel-2012 Final-Research-Report.pdf
- Schofield, M. J. (2015). Counselling in Australia. In T. H. Hohenshil, N. E. Amundson, & S. G. Niles (Eds.), *Counselling Around the World* (pp. 333–347). Alexandria, VA: American Counselling Association. Permanent URL: https://doi.org/10.1002/9781119222736.ch35

- Sharpley, C.F., Bond, J.E., & Agnew, C.J. (2004). Why go to a counsellor? Attitudes to, and knowledge of, counselling in Australia, 2002. *International Journal for the Advancement of Counselling*, 26, 95-108.
- Stallman, H. M. (2018). Coping Planning: A patient- and strengths-focused approach to suicide prevention training. *Australasian Psychiatry*, 26(2), 141–144. Permanent URL: https://dx.doi.org/10.1177/1039856217732471
- State of Victoria, Department of Health (2013). *National Practice Standards for the Mental Health Workforce 2013*. Retrieved from https://www1.health.gov.au/internet/main/publishing.nsf/Content/5D7909E82304E6D2CA257C430004E877/\$File/wkstd13.pdf
- Vines, R. (2011). Equity in health and wellbeing: Why does rural, regional and remote Australia matter? *InPsych*. Retrieved from www.psychology.org.au/Content.aspx?ID=3960
- Wampold, B. E., & Imel, Z. E. (2015). *The great psychotherapy debate: the evidence for what makes psychotherapy work (Second edition)*. New York: Routledge.
- Wheeler, S., & Richards, K. (2007). The impact of clinical supervision on counsellors and therapists, their practice and their clients. A systematic review of the literature. *Counselling and Psychotherapy Research*, 7(1), 54–65. https://doi.org/10.1080/14733140601185274

Appendix A: Hunter New England and Central Coast Primary Health Network - Mental Health Waiting Times, January 2018 (HNECC, 2018)

Service Location	Waiting Time	Waiting Time (days)	Provider Name
	(days) to assessment	to commence treatment	
Armidale	0	41	Centacare New England North West
Barraba	15	15	HealthWISE
Bingara	0	0	Centacare New England North West
Boggabri	0	0	Centacare New England North West
Cessnock	2	25	Hunter Primary Care Ltd
Dungog	5	5	Life Matters Psychologists
Forster	5	5	Life Matters Psychologists
Glen Innes	0	18	Centacare New England North West
Gloucester	10	10	Life Matters Psychologists
Gosford	14	14	Central Coast Primary Care
Gosford	17	17	Yerin Aboriginal Health Services Inc
Gunnedah	15	15	HealthWISE
Guyra	0	33	Centacare New England North West
Inverell	0	8	Centacare New England North West
Lake Macquarie	2	18	Hunter Primary Care Ltd
Maitland	2	18	Hunter Primary Care Ltd
Maitland	3	3	Life Matters Psychologists
Manilla	17	17	HealthWISE
Moree	0	29	Centacare New England North West
Mungindi	0	0	Centacare New England North West
Muswellbrook	3	15	Hunter Primary Care Ltd
Narrabri	0	34	Centacare New England North West
Newcastle	2	15	Hunter Primary Care Ltd
Port Stephens	2	17	Hunter Primary Care Ltd
Quirindi	20	20	HealthWISE
Scone	3	20	Hunter Primary Care Ltd
Singleton	2	15	Hunter Primary Care Ltd
Tamworth	0	18	Centacare New England North West
Tamworth	23	23	HealthWISE
Taree	15	15	Life Matters Psychologists
Tenterfield	0	0	Centacare New England North West
Walcha	15	15	HealthWISE
Warialda	0	0	Centacare New England North West
Wee Waa	0	8	Centacare New England North West
Wyong	9	9	Central Coast Primary Care
Wyong	17	17	Yerin Aboriginal Health Services Inc

Appendix B: ACA Continuing Professional Development (CPD) Requirements

In addition to the annual CPD requirements of ACA membership, Certified Counsellors and Psychotherapists will be required to undertake 10 hours of *Focussed psychological strategies continuing professional development* per year.

Focussed psychological strategies continuing professional development means the completion of 10 continuing professional development units per CPD year, each unit being 1 hour that relate to the delivery of focussed psychological strategies in any of the following areas:

- a) psycho-education;
- b) cognitive-behavioural therapy including;
 - (i) behavioural interventions;
 - (ii) behaviour modification;
 - (iii) exposure techniques;
 - (iv) activity scheduling;
- c) cognitive interventions including:
 - (i) cognitive therapy;
- d) relaxation strategies including;
 - (i) progressive muscle relaxation;
 - (ii) controlled breathing;
- e) skills training including;
 - (i) problem solving skills and training;
 - (ii) anger management;
 - (iii) social skills training;
 - (iv) communication training;
 - (v) stress management;
 - (vi) parent management training;
- f) interpersonal therapy;
- g) narrative therapy (for Aboriginal and Torres Strait Islander people);
- h) clinical skills to undertake a full assessment of a patient in order to form a diagnosis and commence treatment planning.

APPENDIX C

ESSENTIAL MENTAL HEALTH PRACTICE STANDARDS

STANDARD 1: RIGHTS, RESPONSIBILITIES, SAFETY AND PRIVACY

- 1.5 Follow appropriate procedures related to client safety and privacy, taking into account risks, age, gender and other relevant factors
- 1.8 Apply trauma-informed approaches for the support of vulnerable or traumatised clients to ensure the safety of clients and colleagues and to reduce the likelihood of re-traumatisation

STANDARD 2: WORKING WITH CLIENTS AND THEIR FAMILIES AND CARERS IN RECOVERY-FOCUSED WAYS

2.1 Apply the principles of self-determination to support clients, and their family members and carers as appropriate, to be decision-makers in the recovery process

STANDARD 3: MEETING DIVERSE NEEDS

- 3.3 Facilitate care, treatment and support in a manner that demonstrates respect for the diversity of clients and their families and carers, taking into account their lifestyle, values, gender, age, ability, culture, religion, spirituality and sexual identity
- 3.8 Recognise and articulate the extent and limits of their own cultural understanding and seek cultural advice or support where needed

STANDARD 4: WORKING WITH ABORIGINAL AND TORRES STRAIT ISLANDER PEOPLE, FAMILIES AND COMMUNITIES

- 4.2 Develop an understanding of Aboriginal and Torres Strait Islander history, particularly the impact of colonisation on present day grief, loss and trauma and its complexity
- 4.3 Communicate in a culturally sensitive and respectful way, being aware of potential mistrust of government and other service providers as a result of past experiences

STANDARD 5: ACCESS

- 5.2 Clearly explain service processes and parameters in particular, the right to confidentiality and the limits to confidentiality
- 5.5 Conduct risk assessments, taking into account the client's presenting mental state, and potential risks of suicidality, self-harm or harm to others
- 5.7 Document and clearly communicate the outcome of risk assessments and initial service planning with clients

STANDARD 6: INDIVIDUAL PLANNING

- 6.2 Conduct, within the scope of practice, a comprehensive, trauma-informed, mental health assessment, including but not limited to:
 - risk and protective factors within the client's family and environment

- triggers for suicidality and risk of harm to self and others
- developmental tasks and life stage transitions such as changes relating to school or work, housing, life partners and bereavement
- issues related to drug and alcohol use, exposure to trauma, grief/loss, violence, sexuality, sexual health, sexual identity, gender identity and intimate relationships
- 6.4 Develop and articulate a comprehensive case formulation that informs treatment planning

STANDARD 7: TREATMENT AND SUPPORT

- 7.3 Plan, implement and monitor a range of engaging, evidence-informed, safe and effective evidence-informed, recovery-focused intervention strategies
- 7.6 Critically appraise and apply a professional knowledge base in mental health, including the following focussed psychological strategies:
 - Psycho-education including Motivational Interviewing;
 - Cognitive-Behavioural Therapy;
 - Relaxation strategies including progressive muscle relaxation and controlled breathing;
 - Skills training including problem-solving skills;
 - Anger management;
 - Social skills and communications training, stress management, and parent-child management;
 - Interpersonal Therapy, especially for depression;
 - Narrative Therapy for Aboriginal or Torres Strait Islander clients

STANDARD 10: QUALITY IMPROVEMENT

- 10.1 Understand and actively participate in processes for the development, implementation, integration and review of mental health services
- 10.6 Contribute to a positive, accountable and solution-focused service culture that addresses ethical dilemmas, with a quality-improvement focus that includes learning from mistakes
- 10.7 Demonstrate familiarity with current research and evaluation processes in mental health
- 10.8 Apply and integrate current research evidence to practice, aimed at improving outcomes

STANDARD 12: HEALTH PROMOTION AND PREVENTION

12.5 Develop and implement tailored strategies to promote mental health and wellbeing for clients aimed at building resilience across the lifespan and reduce the risk of suicide and self-harming behaviours

STANDARD 13: ETHICAL PRACTICE AND PROFESSIONAL DEVELOPMENT RESPONSIBILITIES

13.1 Work within their scope of practice and seek assistance as required to support safe and effective services or refer clients on to other practitioners if required